

Mio-AuSable Schools

Knowledge - Responsibility - Respect

1110 WEST 8TH STREET - MIO, MI 48647 – (989)826-2400 - www.mioak12.net

September 23, 2025

Request for Proposal (RFP): Construction of New Sidewalk at School in Mio, MI

Scope/Specification Section

The purpose of this Request for Proposal (RFP) is to solicit bids from qualified contractors for the construction of a new sidewalk at Mio-AuSable Schools in Mio, MI. The proposed sidewalk will be approximately 160 feet in length and must meet standard Michigan and ADA requirements. To view the site of the proposed sidewalk, contact the superintendent's office at Mio-AuSable Schools.

Sidewalk Specifications

- **Thickness:** The sidewalk shall be 4 inches thick, with a minimum thickness of 6 inches at driveways/vehicle crossings (if applicable).
- **Base Material:** The sidewalk shall be constructed on a compacted granular base.
- **Concrete Mix:** The concrete mix shall have a compressive strength of 4,000 psi and shall be air-entrained.
- **Control Joints:** Control joints shall be installed at approximately 5-foot intervals to control cracking and ensure a durable sidewalk.
- **Slopes:** The sidewalk shall be constructed with ADA-compliant slopes, with a maximum cross-slope of 2%.
- **Width:** The width of the sidewalk shall be 5 feet.
- **Driveways/Vehicle Crossings:** There will be no vehicle crossings over this sidewalk.

Compliance with Standards

The construction of the sidewalk shall comply with the following standards:

- Michigan Department of Transportation (MDOT) standards
- Americans with Disabilities Act (ADA) standards
- Local township standards

Project Timeline

The project timeline shall be to complete the sidewalk by October 20, 2025.

Additional Requirements

The contractor shall ensure that all work is performed in accordance with the specifications and standards outlined in this RFP. The contractor shall also comply with all applicable federal, state, and local laws and regulations.

Sealed bids are due by 3:00 p.m. on October 3, 2025 and can be submitted to:

Attn: Becky Holloway
1110 W. 8th Street
Mio, MI 48647